

APA-1
07/04

TRANSMITTAL SHEET FOR
NOTICE OF INTENDED ACTION

Control No. 335 Department or Agency Environmental Management
Rule No. 335-6-15-.11
Rule Title: Compatibility

 New X Amend Repeal Adopt by Reference

Would the absence of the proposed rule significantly harm or endanger the public health, welfare, or safety? YES

Is there a reasonable relationship between the state's police power and the protection of the public health, safety, or welfare? YES

Is there another, less restrictive method of regulation available that could adequately protect the public? NO

Does the proposed rule have the effect of directly or indirectly increasing the costs of any goods or services involved and, if so, to what degree? NO

Is the increase in cost, if any, more harmful to the public than the harm that might result from the absence of the proposed rule? NO

Are all facets of the rulemaking process designed solely for the purpose of, and so they have, as their primary effect, the protection of the public? YES

Does the proposed rule have an economic impact? NO

If the proposed rule has an economic impact, the proposed rule is required to be accompanied by a fiscal note prepared in accordance with subsection (f) of section 41-22-23, Code of Alabama 1975.

Certification of Authorized Official

I certify that the attached proposed rule has been proposed in full compliance with the requirements of Chapter 22, Title 41, Code of Alabama 1975, and that it conforms to all applicable filing requirements of the Administrative Procedure Division of the Legislative Reference Service.

Signature of certifying officer Mandy Elliott

Date July 20, 2017

ALABAMA DEPARTMENT OF ENVIRONMENTAL MANAGEMENT
LAND DIVISION

NOTICE OF INTENDED ACTION

AGENCY NAME: Department of Environmental Management

RULE NO. & TITLE: 335-6-15-.02 Definitions
335-6-15-.03 Applicability
335-6-15-.04 Installation Requirements for Partially Excluded Systems
335-6-15-.05 Notification Requirements
335-6-15-.06 Performance Standards for New UST Systems and Dispensers
335-6-15-.07 Upgrading of Existing UST Systems
335-6-15-.08 Plans and Specifications
335-6-15-.09 Operation, Maintenance, and Testing or Inspection of Spill and Overfill
Prevention Equipment and Containment Systems; and Walkthrough Inspections
335-6-15-.10 Operation and Maintenance of Corrosion Protection
335-6-15-.11 Compatibility
335-6-15-.12 Repairs Allowed
335-6-15-.13 Reporting and Recordkeeping
335-6-15-.14 General Release Detection Requirements for All UST Systems
335-6-15-.15 Release Detection Requirements for Petroleum UST Systems
335-6-15-.16 Release Detection Requirements for Hazardous Substance UST
Systems
335-6-15-.17 Methods of Release Detection for Underground Storage Tanks
335-6-15-.18 Methods of Release Detection for Underground Piping
335-6-15-.19 Release Detection Recordkeeping
335-6-15-.20 Reporting of Suspected Releases
335-6-15-.22 Release Investigation and Confirmation Steps
335-6-15-.24 Initial Release Response
335-6-15-.25 Initial Abatement Measures and Preliminary Investigation
335-6-15-.26 Preliminary Investigation Requirements
335-6-15-.27 Free Product Removal
335-6-15-.28 Secondary Investigation Requirements
335-6-15-.29 Corrective Action Plan
335-6-15-.30 Corrective Action Requirements
335-6-15-.31 Public Participation
335-6-15-.32 Analytical Requirements
335-6-15-.33 Temporary Closure
335-6-15-.35 Site Closure or Change-In-Service Assessment
335-6-15-.37 Closure Records
335*6-15-.39 Availability to Public of Records, Reports or Information
335-6-15-.42 Underground Storage Tank Regulation Fee
335-6-15-.43 Financial Responsibility for Petroleum UST Owners and Operators
335-6-15-.45 Delivery Prohibition
335-6-15-.46 Operator Training

ALABAMA DEPARTMENT OF ENVIRONMENTAL MANAGEMENT
LAND DIVISION

NOTICE OF INTENDED ACTION

RULE NO. & TITLE:

335-6-15-.47 Certification Requirements for Individuals Who Supervise Installation,
Closure, and Repair of UST Systems
335-6-15-.48 UST Systems with Field-Constructed Tanks and Airport Hydrant Fuel
Distribution Systems
335-6-15-.49 Severability

INTENDED ACTION: Amend Chapter 335-6-15 of the ADEM Administrative Code

SUBSTANCE OF PROPOSED ACTION:

The Department of Environmental Management proposes to amend portions of the Division 6 Underground Storage Tanks Program Regulations to make typographical and grammatical corrections, to make clarifications necessary to maintain consistency with analogous federal rules, and to adopt new amendments required by the USEPA which are necessary to maintain the programs fully authorized status.


TIME, PLACE, MANNER OF PRESENTING VIEWS:

Comments may be submitted in writing or orally at a public hearing to be held Wednesday, August 9, 2017 at 10:00 a.m. in the Main Hearing Room at the ADEM Central Office located at 1400 Coliseum Blvd, Montgomery, Alabama 36110.

FINAL DATE FOR COMMENT AND COMPLETION OF NOTICE:

September 6, 2017

CONTACT PERSON AT AGENCY: Sonja Massey, Chief of the Groundwater Branch, ADEM Land Division, (334) 271-7832.



Lance R. LePieur
Director

335-6-15-.11 Compatibility.

(1) Owners and operators must use an UST system made of or lined with materials that are compatible with the substance stored in the UST system. ~~Compatibility shall be in accordance with a code of practice developed by a nationally recognized association or an independent testing laboratory when such codes of practice are available.~~

(2) Owners and operators must notify the Department in accordance with rule 335-6-15-.05(11). In addition, owners and operators with UST systems storing these regulated substances must meet one of the following:

(a) Demonstrate compatibility of the UST system (including the underground storage tank, underground piping, containment sumps, pumping equipment, release detection equipment, spill equipment, and overfill equipment). Owners and operators may demonstrate compatibility of the UST system by using one of the following options:

1. Certification or listing of UST system equipment or components by a nationally recognized independent testing laboratory for use with the regulated substance stored; or

2. Equipment or component manufacturer approval. The manufacturer's approval must be in writing, indicate an affirmative statement of compatibility, specify the range of biofuel blends the equipment or component is compatible with, and be from the equipment or component manufacturer; or

(b) Use another option determined by the Department to be no less protective of human health and the environment than the options listed in subparagraph (2)(a) of this rule.

(3) Owners and operators must maintain records in accordance with rule 335-6-15-.13(b)10, documenting compliance with paragraph (2) of this rule for as long as the UST system is used to store the regulated substance.

Author: Sonja Massey, Curt Johnson, Lee Davis.

Statutory Authority: Code of Alabama 1975, § 22-36-3.

History: April 5, 1989; April 25, 2008; XXXXXX, 2017.